

# PUT ddl/database/:db/table/:table/ property/:property

## Table of contents

1 Description.....	2
2 URL.....	2
3 Parameters.....	2
4 Results.....	2
5 Example.....	2

## 1 Description

Add a single property on an HCatalog table. This will also reset an existing property.

## 2 URL

http://www.myserver.com/templeton/v1/ddl/database/:db/table/:table/property/:property

## 3 Parameters

Name	Description	Required?	Default
<b>:db</b>	The database name	Required	None
<b>:table</b>	The table name	Required	None
<b>:property</b>	The property name	Required	None
<b>group</b>	The user group to use	Optional	None
<b>permissions</b>	The permissions string to use	Optional	None
<b>value</b>	The property value	Required	None

The [standard parameters](#) are also supported.

## 4 Results

Name	Description
<b>database</b>	The database name
<b>table</b>	The table name
<b>property</b>	The property name

## 5 Example

### Curl Command

```
% curl -s -X PUT -HContent-type:application/json -d '{ "value": "apples" }' \
'http://localhost:50111/templeton/v1/ddl/database/default/table/test_table/property/
fruit?user.name=ctdean'
```

### JSON Output

*PUT ddl/database/:db/table/:table/property/:property*

```
{  
  "property": "fruit",  
  "table": "test_table",  
  "database": "default"  
}
```