

Launch Cloudbreak on AWS 2

Installing Cloudbreak on Azure

Date of Publish: 2018-09-14



<http://docs.hortonworks.com>

Contents

Prerequisites on Azure.....	3
Azure account.....	3
Azure region.....	3
Virtual network.....	3
Security group.....	3
SSH key pair.....	3
Browser.....	3
Preparing the VM.....	3
System requirements.....	4
Root access.....	4
System updates.....	4
Iptables.....	4
Disable SELINUX.....	4
Docker.....	5
Install Cloudbreak on a VM.....	6
Access Cloudbreak web UI.....	7
Configure an external Cloudbreak database.....	8
Next steps.....	8

Prerequisites on Azure

Before installing Cloudbreak, you must meet the following prerequisites:

Azure account

In order to install Cloudbreak on the Azure, you must have an existing Microsoft Azure account.

If you don't have an account, you can set it up at <https://azure.microsoft.com>.

Azure region

Review available Azure regions and decide in which region you would like to launch the VM for Cloudbreak.



Note:

Clusters created via Cloudbreak can be in the same or different region as Cloudbreak; when you launch a cluster, you select the region in which to launch it.

Related Information

[Azure regions \(Azure\)](#)

Virtual network

You must have a virtual network configured on your cloud provider.

Security group

Ports 22 (SSH), 80 (HTTPS), and 443 (HTTPS) must be open on the security group.

SSH key pair

In order to access the Cloudbreak VM via SSH, you will be required to use your SSH key pair.

If needed, you can generate a new SSH key pair:

- On MacOS X and Linux using `ssh-keygen -t rsa -b 4096 -C "your_email@example.com"`
- On Windows using [PuTTYgen](#)

Browser

In order to access Cloudbreak web UI, you should use one of the following supported browsers: Chrome, Firefox, or Safari.

Preparing the VM

To install the Cloudbreak deployer and install the Cloudbreak application, you must have an existing VM.

You should launch the VM by using the steps provided in your cloud provider documentation. Once you have the VM ready, perform the steps listed in this section.

System requirements

In order to install Cloudbreak, your system must meet the minimum requirements.

Ensure that your system meets the following requirements:

- Minimum VM requirements: 16GB RAM, 40GB disk, 4 cores
- Supported operating systems: RHEL, CentOS, and Oracle Linux 7 (64-bit)

**Note:**

You can install Cloudbreak on Mac OS X for evaluation purposes only. Mac OS X is not supported for a production deployment of Cloudbreak.

Root access

Every command mentioned in this documentation must be executed as root.

In order to get root privileges execute:

```
sudo -i
```

System updates

Perform these steps to ensure that your system is up-to-date.

To ensure that your system is up-to-date, run:

```
yum -y update
```

Reboot the VM if necessary.

Iptables

Perform these steps to install and configure iptables.

Steps

1. Install iptables-services:

```
yum -y install net-tools ntp wget lsof unzip tar iptables-services  
systemctl enable ntpd && systemctl start ntpd  
systemctl disable firewalld && systemctl stop firewalld
```

**Note:**

Without iptables-services installed the iptables save command will not be available.

2. Configure permissive iptables on your machine:

```
iptables --flush INPUT && \  
iptables --flush FORWARD && \  
service iptables save
```

Disable SELINUX

Perform these steps to disable SELINUX.

Steps

1. Disable SELINUX:

```
setenforce 0
sed -i 's/SELINUX=enforcing/SELINUX=disabled/g' /etc/selinux/config
```

2. Run the following command to ensure that SELinux is not turned on afterwards:

```
getenforce
```

3. The command should return “Disabled”.

Docker

Perform these steps to install Docker.

The minimum Docker version is 1.13.1. If you are using an older image that comes with an older Docker version, upgrade Docker to 1.13.1 or newer.

Steps

1. Install Docker service:

CentOS 7

```
yum install -y docker
systemctl start docker
systemctl enable docker
```

RHEL 7

```
yum install yum-utils
yum-config-manager --enable rhui-REGION-rhel-server-extras
yum install -y docker
systemctl start docker
systemctl enable docker
```

2. Check the Docker Logging Driver configuration:

```
docker info | grep "Logging Driver"
```

3. If it is set to Logging Driver: journald, you must set it to “json-file” instead. To do that:

- a. Open the docker file for editing:

```
vi /etc/sysconfig/docker
```

- b. Edit the following part of the file so that it looks like below (showing log-driver=json-file):

```
# Modify these options if you want to change the way the docker daemon
runs
OPTIONS='--selinux-enabled --log-driver=json-file --signature-
verification=false'
```

- c. Restart Docker:

```
systemctl restart docker
systemctl status docker
```

Install Cloudbreak on a VM

Install Cloudbreak on your own VM from a Cloudbreak deployer binary.

Steps

1. Install the Cloudbreak deployer and unzip the platform-specific single binary to your PATH. For example:

```
yum -y install unzip tar
curl -Ls public-repo-1.hortonworks.com/HDP/cloudbreak/cloudbreak-
deployer_2.8.0_${(uname)_x86_64}.tgz | sudo tar -xz -C /bin cbd
cbd --version
```

Once the Cloudbreak deployer is installed, you can set up the Cloudbreak application.

2. Create a Cloudbreak deployment directory and navigate to it:

```
mkdir cloudbreak-deployment
cd cloudbreak-deployment
```

3. In the directory, create a file called Profile with the following content:

```
export UAA_DEFAULT_SECRET=MY-SECRET
export UAA_DEFAULT_USER_PW=MY-PASSWORD
export UAA_DEFAULT_USER_EMAIL=MY-EMAIL
export PUBLIC_IP=MY_VM_IP
```

For example:

```
export UAA_DEFAULT_SECRET=MySecret123
export UAA_DEFAULT_USER_PW=MySecurePassword123
export UAA_DEFAULT_USER_EMAIL=dbialek@hortonworks.com
export PUBLIC_IP=172.26.231.100
```

You will need to provide the email and password when logging in to the Cloudbreak web UI and when using the Cloudbreak CLI. The secret will be used by Cloudbreak for authentication.

You should set the `CLOUDBREAK_SMTP_SENDER_USERNAME` variable to the username you use to authenticate to your SMTP server. You should set the `CLOUDBREAK_SMTP_SENDER_PASSWORD` variable to the password you use to authenticate to your SMTP server.

4. Generate configurations by executing:

```
rm *.yml
cbd generate
```

The `cbd start` command includes the `cbd generate` command which applies the following steps:

- Creates the `docker-compose.yml` file, which describes the configuration of all the Docker containers required for the Cloudbreak deployment.
- Creates the `uaa.yml` file, which holds the configuration of the identity server used to authenticate users with Cloudbreak.

5. Start the Cloudbreak application by using the following commands:

```
cbd pull-parallel
cbd start
```

This will start the Docker containers and initialize the application. The first time you start the Cloudbreak app, the process will take longer than usual due to the download of all the necessary docker images.

- Next, check Cloudbreak application logs:

```
cbd logs cloudbreak
```

You should see a message like this in the log: Started CloudbreakApplication in 36.823 seconds. Cloudbreak normally takes less than a minute to start.

Related Information

[Troubleshooting Cloudbreak](#)

Access Cloudbreak web UI

Log in to the Cloudbreak UI by using the following steps.


Steps

- You can log into the Cloudbreak application at `https://IP_Address`. For example `https://34.212.141.253`. You may use `cbd start` to obtain the login information. Alternatively, you can obtain the VM's IP address from your cloud provider console.
- Confirm the security exception to proceed to the Cloudbreak web UI.

The first time you access Cloudbreak UI, Cloudbreak will automatically generate a self-signed certificate, due to which your browser will warn you about an untrusted connection and will ask you to confirm a security exception.


Browser	Steps
Firefox	Click Advanced > Click Add Exception... > Click Confirm Security Exception
Safari	Click Continue
Chrome	Click Advanced > Click Proceed...

- The login page is displayed:



- Log in to the Cloudbreak web UI using the credentials that you configured in your Profile file:
 - The username is the `UAA_DEFAULT_USER_EMAIL`

- The password is the UAA_DEFAULT_USER_PW
5. Upon a successful login, you are redirected to the dashboard:



Configure an external Cloudbreak database

By default, Cloudbreak uses an embedded PostgreSQL database to persist data related to Cloudbreak configuration and so on. This database is only suitable for non-production Cloudbreak deployments. For production, you must configure [an external Cloudbreak database](#).

Related Information

[External Cloudbreak database](#)

Next steps

After launching Cloudbreak, you must configure a Cloudbreak credential. After you've created one, you can start creating clusters.

Related Information

[Cloudbreak credential options on Azure](#)

[Configure Cloudbreak](#)